

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

Claim 1-2. (Canceled)

Claim 3. (Currently Amended) The method of claim ~~2-4~~ wherein the summing circuit provides an exclusive-or function.

Claim 4. (Currently Amended) ~~The method of claim 2~~ A method of computing cyclical redundancy check bits for a message comprising:
receiving a first word of the message, the first word comprising N message bits;
computing a plurality of feedforward bits for the first word by:
logically combining message bits of K groups of the N message bits to form K logical expressions, wherein K and N are integers,
combining the K logical expressions into a plurality of terms, and
storing the plurality of terms as a plurality of feedforward bits;
providing the plurality of feedforward bits to a first logic circuit;
providing a plurality of cyclical redundancy check bits using the first logic circuit;
providing a plurality of feedback bits for the plurality of cyclical redundancy check bits using a feedback circuit; and
providing the plurality of feedback bits to the first logic circuit,
wherein the first logic circuit is a summing circuit, and wherein the feedback circuit is pipelined such that it receives an input and provides a corresponding output two clock cycles later.

Claim 5. (Original) A method of computing cyclical redundancy check bits for a message comprising:

receiving a first word of the message, the first word comprising a plurality of message bits;

computing a plurality of feedforward bits for the first word using a feedforward circuit, wherein the feedforward circuit receives the first word and provides the plurality of feedforward bits after N clock cycles;

providing the plurality of feedforward bits to a first logic circuit;

providing a plurality of cyclical redundancy check bits using the first logic circuit;

providing a plurality of feedback bits for the plurality of cyclical redundancy check bits using a feedback circuit, wherein the feedback circuit receives the plurality of cyclical redundancy check bits and provides the plurality of feedback bits after 2N clock cycles; and

providing the plurality of feedback bits to the first logic circuit.

Claim 6. (Previously Presented) The method of claim 5 wherein N is equal to one.

Claim 7. (Previously Presented) An integrated circuit comprising:
a circuit to receive a message and provide a plurality of cyclical redundancy check bits comprising:

a feedforward circuit; and

a feedback circuit, where an output of the feedforward circuit and an output of the feedback circuit are coupled to a logic circuit, wherein an output of the logic circuit provides the cyclical redundancy check bits, and

wherein the feedforward circuit comprises a first plurality of logic gates coupled to receive the message and provide outputs to a second plurality of logic gates,

wherein at least one of the first plurality of logic gates couple couples to at least two of the second plurality of logic gates, the feedforward circuit receives message bits and provides an output to the logic circuit after N clock cycles, and the feedback circuit receives the cyclical redundancy check bits and provides an output to the logic circuit after 2N clock cycles.

Claim 8. (Previously Presented) The integrated circuit of claim 7 wherein the logic circuit is a summing circuit.

Claim 9. (Original) The integrated circuit of claim 8 wherein the summing circuit provides an exclusive-or function.

Claim 10. (Original) The integrated circuit of claim 9 further comprising a plurality of flip-flops coupled to provide outputs to the first plurality of logic gates.

Claim 11. (Original) The integrated circuit of claim 9 further comprising a plurality of flip-flops coupled to receive inputs from the first plurality of logic gates and provide outputs to the second plurality of logic gates.

Claim 12. (Original) The integrated circuit of claim 9 further comprising a plurality of flip-flops coupled to receive outputs from the second plurality of logic gates.

Claim 13. (Previously Presented) A receiver for use in data networks comprising an integrated circuit, the integrated circuit comprising:
a first circuit to receive words in a data message, wherein each word is a first number of bits in length;
a first summing node to receive an output from the first circuit;
a second circuit to receive an output from the first summing node and provide an output to the first summing node;
a third circuit coupled to receive an output from the first summing node; and
a second summing node to receive an output from the first summing node, an output from the third circuit, and provide a plurality of cyclical redundancy check bits.

Claim 14. (Original) The receiver of claim 13 wherein the first circuit left shifts each input word by a second number of bits, divides the result by a generator, and provides the remainder as an output.

Claim 15. (Original) The receiver of claim 14 wherein the second circuit left shifts each input word by twice the first number of bits, divides the result by a generator, and provides the remainder as an output.

Claim 16. (Original) The receiver of claim 15 wherein the third circuit left shifts each input word by the first number of bits, divides the result by a generator, and provides the remainder as an output.

Claim 17. (Original) The receiver of claim 16 wherein the first summing node and the second summing node provide an exclusive-OR function.

Claim 18. (Original) The receiver of claim 16 wherein the first circuit left shifts each input word by a second number of bits, divides the result by a generator, and provides the remainder as an output each third number of clock cycles and the second circuit left shifts each input word by twice the first number of bits, divides the result by a generator, and provides the remainder as an output each fourth number of clock cycles, wherein the fourth number is twice the third number.

Claim 19. (Original) The receiver of claim 18 wherein the fourth number is two and the third number is one.

Claim 20. (Original) The receiver of claim 18 wherein the first number is 32.